


Unless explicitly agreed otherwise, the following delivery regulations apply to the acceptance of goods at Walter-Rauch-Str. 1 or at the external warehouses mentioned in point 10.

## 1. general specifications for each delivery:

- a. only complete shipments will be accepted, unless the supplier has notified a partial delivery
- b. a copy of the delivery bill must be enclosed with the consignment note
- c. the supplier must ensure that the delivery is suitable for ramps
- d. Delivery is only accepted on one of the specified pallet types:

Criteria	One-way pallet	container pallet
Material	wood	wood
Length (L)	1200 mm	1150 mm
Width (B)	800 mm	780 mm
Height (H)	100 mm	100 mm
Load capacity	1200 kg	1200 kg
Underrideability	4-way	4-way



## 2. protection against damage of the goods:

Irrespective of the choice of material and packaging type, all goods must be protected against damage of any kind without restricting their function and subsequent usability. In particular, protection against the following effects must be ensured:

- mechanical e.g. from deformation
- chemical/biological e.g. against corrosion, weathering, mold
- physically e.g. against magnetism
- The protection period to be guaranteed is at least 12 months
- For materials at risk of corrosion, dry corrosion protection (= VCI paper or bag) should generally be provided in conjunction with light assembly corrosion protection (= light oiling)

## 3. package Full pallet:

- a. Height max. 1100 mm incl. pallet
- b. Weight max. 500 kg incl. pallet
- c. Securing the goods on the pallet with plastic packing straps (no steel)
- d. The pallet must meet the requirements for storage in an automated high-bay warehouse
- e. The goods must be packed tightly into the outer carton and stuffed with filling material



- f. The removal flap must always be on the left and the accompanying documents on the front.
- g. Goods must not be delivered loose or wrapped in foil.

**4. package Mixed pallet:**

- a. Different goods must be clearly labeled and visually separated from each other. (e.g.: in separate outer packaging and labeling including KOKI article number and quantity)
- b. Mixed pallets must be clearly labeled as mixed pallets (e.g.: sticker "MIX")

**5. package Carton:**

- a. The use of vacuum-lifter must be ensured for packaging with a gross weight > 20 kg. (Packaging must be closed in such a way that the use of a vacuum-lifters is possible without the packaging opening).
- b. In the case of stacked goods or packaging, if stacking has been permitted by KOKI, the base area of the pallet must not be exceeded
- c. Packages / outer packaging that cannot be loaded must be clearly labeled
- d. Max. height of the packages (single or multiple stacked) when delivering the goods in containers ≤ 80mm of the opening height of the container door to ensure reliable unloading

**6. Overpack:**

- a. Deliveries of goods in neutral pallet boxes
- b. Pallet outer cartons must not be attached to the pallet with staple nails

**7. individual packaging / packages (on a pallet or loose):**

- a. Dimensions max. L 600 x W 400 x H 220 mm
- b. Weight max. 15 kg per individual packaging / package
- c. Different article numbers may not be combined in one individual packaging/package

**8. labeling of pallets and packages:**

- a. Each package must be labeled with the KOKI article number and quantity
- b. Only neutral labeling may be used (reference to the manufacturer is not permitted)

- c. The delivery bill must be clearly visible on the outside of one package per shipment

**9. labeling of articles:**

- a. Each article must be provided with a KOKI label (a KOKI label contains the KOKI article number, the article description, the EAN number and EAN barcode no. 128).

**10. information on delivery note:**

- a. KOKI order number or delivery schedule number, article number, quantity  
b. Delivery address: it must be ensured that the correct destination is specified

Bezeichnung	Ihre Bestell.Nr.	Ihre Art.Nr.	Menge
SDS-max Spatmeissel 400x50mm Kontrakt: 5500002271	04/2024	623355000	120ST
SDS-max Spitzmeissel 400mm Kontrakt: 5500002268	04/2024	623352000	150ST
SDS-max Spatmeissel 350x115mm Kontrakt: 5500002277	07/2024	623366000	30ST
4C-PLUS solid 8x165 Kontrakt: 5500002912	03/2024	626216000	800ST
SDS-max Flachmeissel 280x25mm Kontrakt: 5500002269	04/2024	623353000	125ST
4C-PLUS solid Display 6tlg - 6 Kassetten Kontrakt: 5500003114	04/2024	626245000	46ST

**11. notification:**

For deliveries of more than 5 pallets per day, a delivery notification by phone or e-mail is required at least 3 days before the planned delivery. Contact details can be found at the respective delivery address:

KOKI central warehouse  
Walter-Rauch-Straße 1  
D 72622 Nürtingen  
Tel: +49 7022 / 72 4011  
Fax: +49 7022 / 72 4015  
Mail: [de-lc-wc@koki-group.com](mailto:de-lc-wc@koki-group.com)

Außenlager Jebenhausen  
L. Wackler Wwe. Nachf. GmbH  
Boller Straße 132  
D 73035 Göppingen-Jebenhausen

Tel: +49 71619164310  
Mail: [lalo-uh@wackler.de](mailto:lalo-uh@wackler.de)

Außenlager Weilheim  
Hans Fischer Transport GmbH  
Austr. 25  
D 73235 Weilheim an der Teck  
Tel: +49 7023 / 90007 - 16  
Fax: +49 7023 / 90007 - 34  
Mail: [lagerlogistik@fischer-logistik.de](mailto:lagerlogistik@fischer-logistik.de)

**12. customs clearance:**

The original documents relevant for customs (invoice, packing list, bill of lading) must be sent by courier service to the following address immediately after loading the goods at the port of departure:

Metabowerke GmbH  
z.Hd. Frau Bärbel Weber  
Metabo-Allee 1  
72622 Nürtingen