

## RB 18 LTX 60 (600192850) Akku-Rohrbandschleifer

Order No. 600192850 EAN 4007430214171



#### Representative picture









- · Kompakter Akku-Rohrbandschleifer für die schnelle, flexible Bearbeitung von Edelstahlrohren
- Großer Umschlingungswinkel von 190° für eine ansatzlose Oberfläche
- Robuster Motor f
  ür eine Lebensdauer
- Werkzeugloser Schleifbandwechsel und einstellbare Bandführung
- Akkupack drehbar in 90°-Grad-Schritten für beste Ergonomie in jeder Arbeitsposition
- Abnehmbarer Staubschutzfilter als Motorschutz vor groben Partikeln
- Überlastschutz: schützt den Motor vor Überhitzung
- Elektronischer Sanftanlauf f
  ür ruckfreies Anlaufen
- Wiederanlaufschutz: verhindert unbeabsichtigtes Anlaufen nach Akkuwechsel
- Viele Marken, ein Akku-System: Dieses Produkt ist kombinierbar mit allen 18V-Akkupacks und Ladegeräten der CAS Marken: www.cordless-alliance-system.com

## **Technical values**

### **KENNWERTE**

Battery voltage	18 V
Belt speed in idle	9.2 m/s // 1811 ft/min
Dimensions of grinding belt	30 x 533 mm // 1 3/16 x 21 "
Maximum pipe diameter	60 mm / 2 3/8 "
Wrap angle	190 °

Weight without battery pack	2.7 kg / 6 lbs
Weight with battery pack	3.1 kg / 6.8 lbs
VIBRATION	
Surface grinding	$2.5 \text{ m/s}^2$
Uncertainty of measurement K	$1.5 \text{ m/s}^2$
GERÄUSCHEMISSION	
Sound pressure level	83 dB(A)
Sound power level (LwA)	94 dB(A)
Uncertainty of measurement K	3 dB(A)

# Scope of delivery

- Dust Protection Filter
- without battery pack, without charger