

Combo Set 6.1 (685211000) Cordless tools in a set

Order No. 685211000
EAN 4061792224605



Representative picture

- Cordless hammer drill SB 18 LTX Impulse: Robust brushless cordless impact drill with maximum power for the toughest applications
- Cordless impact wrench SSW 18 LT 300 BL: Compact cordless impact wrench with 1/2" male square and 300 Nm for versatile applications
- Cordless combination hammer KH 18 LTX 24: combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Cordless angle grinder W 18 9-125 Quick: Robust angle grinder with powerful motor and slim design for universal applications
- Cordless sabre saw SSEP 18 LT: Universal sabre saw with angled soft grip handle for high working comfort
- Cordless portable lamp ULA 14.4-18 LED: Powerful LED portable lamp for uniform, bright illumination of the working area

Technical values

KENNWERTE SB 18 LTX Impuls (602192890) Cordless hammer drill

Battery voltage	18 V
Maximum torque, soft	55 Nm / 487 in-lbs
Pulse torque	60 Nm / 531 in-lbs
Maximum torque, hard	110 Nm / 974 in-lbs
Adjustable torque	1.5 - 24 Nm // 13 - 212 in-lbs
Drill-Ø masonry	16 mm / 5/8 "

Drill Ø steel	13 mm / 1/2 "
Drill-Ø soft wood	65 mm / 2 1/2 "
No-load speed	0 - 500 / 0 - 1700 rpm
Maximum impact rate	32300 bpm
Chuck capacity	1.5 - 13 mm // 1/16 - 1/2 "
Collar diameter	43 m / 1 11/16 "
Weight without battery pack	1.8 kg / 4 lbs
Weight with battery pack	2.2 kg / 4.9 lbs

VIBRATION SB 18 LTX Impuls (602192890) Cordless hammer drill

Drilling in metal	2.5 m/s ²
Uncertainty of measurement K	1.5 m/s ²
Impact drilling concrete	13 m/s ²
Uncertainty of measurement K	1.5 m/s ²
Screwdriving without impact	2.5 m/s ²
Uncertainty of measurement K	1.5 m/s ²

GERÄUSCHEMISSION SB 18 LTX Impuls (602192890) Cordless hammer drill

Sound pressure level	80 dB(A)
Sound power level (LwA)	91 dB(A)
Uncertainty of measurement K	3 dB(A)

KENNWERTE ULA 14.4-18 LED (600368000) Cordless Portable Lamp

Battery voltage	14.4 - 18 V
Max. luminous flux	280 lm
Max. operation time per battery charge	14.4 V / 2.0 Ah: 4.5h / 14.4 V / 4.0 Ah: 9h / 18 V / 2.0 Ah: 6.4h / 18 V / 4.0 Ah: 12.7h / 18 V / 5.2 Ah: 16.5h / 18 V / LiHD 3.1: 10h / 18 V / LiHD 5.5: 17.6h / 18 V / LiHD 6.2: 19.8h
Weight without battery pack	0.4 kg / 0.9 lbs
Weight with battery pack	0.8 kg / 1.8 lbs kg

KENNWERTE SSW 18 LTX 300 BL (602395890) Cordless impact wrench

Battery voltage	18 V
Max. screw size	M18
Max. no-load speed	0 - 2650 rpm
Maximum impact rate	3750 bpm
Maximum torque	300 Nm / 220 ft. lbs
Max. loosening torque	480 Nm / 355 ft. lbs
Speed/torque levels	12
Tool holder	Male square 1/2" (12.70 mm)
Weight without battery pack	1.1 kg / 2.4 lbs
Weight with battery pack	1.7 kg / 3.7 lbs

VIBRATION SSW 18 LTX 300 BL (602395890) Cordless impact wrench

Impact screwdriving	7 m/s ²
Uncertainty of measurement K	1.5 m/s ²

GERÄUSCHEMISSION SSW 18 LTX 300 BL (602395890) Cordless impact wrench

Sound pressure level	95 dB(A)
Sound power level (LwA)	106 dB(A)
Uncertainty of measurement K	3 dB(A)

KENNWERTE W 18 L 9-125 Quick (602249850) Cordless angle grinder

Battery voltage	18 V
Disc-Ø	125 mm / 5 "
Max. cutting depth	34 mm / 1.339 "
No-load speed	8500 rpm
Spindle thread	M 14
Handle circumference	191 mm / 7.52 "
Weight without battery pack	1.6 kg
Weight with battery pack	2.3 kg

VIBRATION W 18 L 9-125 Quick (602249850) Cordless angle grinder

Surface grinding	5 m/s ²
Uncertainty of measurement K	1.5 m/s ²
Grinding with sandpaper	2.5 m/s ²
Uncertainty of measurement K	1.5 m/s ²

GERÄUSCHEMISSION W 18 L 9-125 Quick (602249850) Cordless angle grinder

Sound pressure level	86 dB(A)
Sound power level (LwA)	97 dB(A)
Uncertainty of measurement K	3 dB(A)

KENNWERTE KH 18 LTX 24 (601712850) Cordless combination hammer

Battery voltage	18 V
Max. single blow energy (EPTA)	2.1 J
Maximum impact rate	5200 bpm
Drill-Ø concrete with hammer drills	24 mm / 1 "
Drill-Ø masonry with core bits	68 mm / 2 11/16 "
Drill Ø steel	13 mm / 1/2 "
Drill-Ø soft wood	30 mm / 1 3/16 "
No-load speed	0 - 1400 rpm
Tool holder	SDS-plus
Weight without battery pack	2.6 kg / 5.73 lbs

VIBRATION KH 18 LTX 24 (601712850) Cordless combination hammer

Hammer drilling concrete	11.5 m/s ²
Uncertainty of measurement K	1.5 m/s ²
Chiseling	7.8 m/s ²
Uncertainty of measurement K	1.5 m/s ²

GERÄUSCHEMISSION KH 18 LTX 24 (601712850) Cordless combination hammer

Sound pressure level	91 dB(A)
----------------------	----------

Sound power level (LwA)	98 dB(A)
-------------------------	----------

Uncertainty of measurement K	3 dB(A)
------------------------------	---------

KENNWERTE SSEP 18 LT (601616850) Cordless sabre saw

Battery voltage	18 V
-----------------	------

Strokes in idle	0 - 3000 rpm
-----------------	--------------

Saw blade stroke	32 mm / 1 1/4 "
------------------	-----------------

Weight without battery pack	2.9 kg / 6.4 lbs
-----------------------------	------------------

VIBRATION SSEP 18 LT (601616850) Cordless sabre saw

Sawing chipboards	7.46 m/s ²
-------------------	-----------------------

Uncertainty of measurement K	1.5 m/s ²
------------------------------	----------------------

Sawing wooden beam	8.22 m/s ²
--------------------	-----------------------

Uncertainty of measurement K	1.5 m/s ²
------------------------------	----------------------

GERÄUSCHEMISSION SSEP 18 LT (601616850) Cordless sabre saw

Uncertainty of measurement K	5 dB(A)
------------------------------	---------