

## Combo Set 5.2 (685213000) Cordless tools in a set

Order No. 685213000  
EAN 4061792224667



Representative picture

- Cordless drill/screwdriver BS 18 LTX BL I: brushless drill/screwdriver with maximum power for the toughest applications
- Cordless impact wrench SSW 18 LT 300 BL: Compact brushless cordless impact wrench with 1/2" square and 300 Nm for versatile applications
- Cordless angle grinder W 18 9-125 Quick: Robust angle grinder with powerful motor and slim design for universal applications
- Cordless combination hammer KH 18 LTX 24: combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Cordless worksite radio R 12-18 DAB+ BT: Robust worksite radio with digital DAB+ reception, top sound quality and many additional functions

### Technical values

#### KENNWERTE SSW 18 LTX 300 BL (602395890) Cordless impact wrench

Battery voltage	18 V
Max. screw size	M18
Max. no-load speed	0 - 2650 rpm
Maximum impact rate	3750 bpm
Maximum torque	300 Nm / 220 ft. lbs
Max. loosening torque	480 Nm / 355 ft. lbs
Speed/torque levels	12

Tool holder	Male square 1/2" (12.70 mm)
Weight without battery pack	1.1 kg / 2.4 lbs
Weight with battery pack	1.7 kg / 3.7 lbs

### **VIBRATION SSW 18 LTX 300 BL (602395890) Cordless impact wrench**

Impact screwdriving	7 m/s <sup>2</sup>
Uncertainty of measurement K	1.5 m/s <sup>2</sup>

### **GERÄUSCHEMISSION SSW 18 LTX 300 BL (602395890) Cordless impact wrench**

Sound pressure level	95 dB(A)
Sound power level (LwA)	106 dB(A)
Uncertainty of measurement K	3 dB(A)

### **KENNWERTE R 12-18 DAB+ BT (600778850) Cordless worksite radio**

Battery voltage	12 - 18 V
Radio frequency AM	522 - 1620 kHz
Radio frequency FM	87.5 - 108 MHz
Weight without battery pack	1.9 kg / 4.2 lbs
Weight with battery pack	2.1 kg / 4.6 lbs
Max. runtime per battery charge	18 V / LiHD 8.0 Ah: 32 h

### **KENNWERTE BS 18 LTX BL I (602358850) Cordless drill / screwdriver**

Battery voltage	18 V
Maximum torque, soft	65 Nm / 575 ft. lbs
Pulse torque	65 Nm / 575 in-lbs
Maximum torque, hard	130 Nm / 1151 ft. lbs
Adjustable torque	1 - 20 Nm // 9 - 177 in-lbs
Drill Ø steel	13 mm / 1/2 "
Drill-Ø soft wood	68 mm / 2.68 "
No-load speeds	0 - 550 / 0 - 2000 rpm

Chuck capacity	1.5 - 13 mm // 1/16 - 1/2 "
Collar diameter	43 mm / 1 11/16 "
Weight without battery pack	1.7 kg / 3.7 lbs
Weight with battery pack	2.2 kg / 4.9 lbs

### **VIBRATION BS 18 LTX BL I (602358850) Cordless drill / screwdriver**

Drilling in metal	2.2 m/s <sup>2</sup>
Uncertainty of measurement K	1.5 m/s <sup>2</sup>

### **GERÄUSCHEMISSION BS 18 LTX BL I (602358850) Cordless drill / screwdriver**

Sound pressure level	76 dB(A)
Sound power level (LwA)	87 dB(A)
Uncertainty of measurement K	3 dB(A)

### **KENNWERTE W 18 L 9-125 Quick (602249850) Cordless angle grinder**

Battery voltage	18 V
Disc-Ø	125 mm / 5 "
Max. cutting depth	34 mm / 1.339 "
No-load speed	8500 rpm
Spindle thread	M 14
Handle circumference	191 mm / 7.52 "
Weight without battery pack	1.6 kg
Weight with battery pack	2.3 kg

### **VIBRATION W 18 L 9-125 Quick (602249850) Cordless angle grinder**

Surface grinding	5 m/s <sup>2</sup>
Uncertainty of measurement K	1.5 m/s <sup>2</sup>
Grinding with sandpaper	2.5 m/s <sup>2</sup>
Uncertainty of measurement K	1.5 m/s <sup>2</sup>

### **GERÄUSCHEMISSION W 18 L 9-125 Quick (602249850) Cordless angle grinder**

Sound pressure level	86 dB(A)
----------------------	----------

Sound power level (LwA)	97 dB(A)
-------------------------	----------

Uncertainty of measurement K	3 dB(A)
------------------------------	---------

### **KENNWERTE KH 18 LTX 24 (601712850) Cordless combination hammer**

Battery voltage	18 V
-----------------	------

Max. single blow energy (EPTA)	2.1 J
--------------------------------	-------

Maximum impact rate	5200 bpm
---------------------	----------

Drill-Ø concrete with hammer drills	24 mm / 1 "
-------------------------------------	-------------

Drill-Ø masonry with core bits	68 mm / 2 11/16 "
--------------------------------	-------------------

Drill Ø steel	13 mm / 1/2 "
---------------	---------------

Drill-Ø soft wood	30 mm / 1 3/16 "
-------------------	------------------

No-load speed	0 - 1400 rpm
---------------	--------------

Tool holder	SDS-plus
-------------	----------

Weight without battery pack	2.6 kg / 5.73 lbs
-----------------------------	-------------------

### **VIBRATION KH 18 LTX 24 (601712850) Cordless combination hammer**

Hammer drilling concrete	11.5 m/s <sup>2</sup>
--------------------------	-----------------------

Uncertainty of measurement K	1.5 m/s <sup>2</sup>
------------------------------	----------------------

Chiseling	7.8 m/s <sup>2</sup>
-----------	----------------------

Uncertainty of measurement K	1.5 m/s <sup>2</sup>
------------------------------	----------------------

### **GERÄUSCHEMISSION KH 18 LTX 24 (601712850) Cordless combination hammer**

Sound pressure level	91 dB(A)
----------------------	----------

Sound power level (LwA)	98 dB(A)
-------------------------	----------

Uncertainty of measurement K	3 dB(A)
------------------------------	---------