

# Combo Set 4.3 (685214000) Cordless tools in a set

Order No. 685214000 EAN 4061792224681



#### Representative picture

- Cordless hammer drill SB 18 LT BL: brushless cordless impact drill with optimal power for the demanding applications
- Cordless angle grinder W 18 9-125 Quick: Robust angle grinder with powerful motor and slim design for universal applications
- Cordless combination hammer KH 18 LTX 24: combination hammer with 3 functions: hammer drilling, drilling and chiselling
- ST 18 L 90 Cordless Jigsaw: The daily helper for universal sawing applications: compact cordless jigsaw for cuts in wood up to 90 mm
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

#### Technical values

#### KENNWERTE SB 18 LT BL (602316890) Cordless hammer drill

Battery voltage	18 V
Maximum torque, soft	34 Nm / 301 in-lbs
Maximum torque, hard	75 Nm / 663.8 in-lbs
Adjustable torque	0.7 - 8 Nm // 6 - 71 in-lbs
Drill-Ø masonry	13 mm / 1/2 "
Drill Ø steel	13 mm / 1/2 "
Drill-Ø soft wood	38 mm / 1 1/2 "

No-load speed	0 - 600 / 0 - 2100 rpm
Maximum impact rate	31950 bpm
Chuck capacity	1.5 - 13 mm // 1/16 - 1/2 "
Weight without battery pack	1.2 kg / 2.6 lbs
Weight with battery pack	1.6 kg / 3.5 lbs

#### VIBRATION SB 18 LT BL (602316890) Cordless hammer drill

Drilling in metal	$2.9 \text{ m/s}^2$
Uncertainty of measurement K	$1.5 \text{ m/s}^2$
Impact drilling concrete	17.3 m/s <sup>2</sup>
Uncertainty of measurement K	$1.5 \text{ m/s}^2$

#### GERÄUSCHEMISSION SB 18 LT BL (602316890) Cordless hammer drill

Sound pressure level	91 dB(A)
Sound power level (LwA)	102 dB(A)
Uncertainty of measurement K	3 dB(A)

#### KENNWERTE W 18 L 9-125 Quick (602249850) Cordless angle grinder

Battery voltage	18 V
Disc-Ø	125 mm / 5 "
Max. cutting depth	34 mm / 1.339 "
No-load speed	8500 rpm
Spindle thread	M 14
Handle circumference	191 mm / 7.52 "
Weight without battery pack	1.6 kg
Weight with battery pack	2.3 kg

### VIBRATION W 18 L 9-125 Quick (602249850) Cordless angle grinder

Surface grinding	5 m/s <sup>2</sup>
Uncertainty of measurement K	$1.5 \text{ m/s}^2$

Grinding with sandpaper	$2.5 \text{ m/s}^2$
Uncertainty of measurement K	$1.5 \text{ m/s}^2$

#### GERÄUSCHEMISSION W 18 L 9-125 Quick (602249850) Cordless angle grinder

Sound pressure level	86 dB(A)
Sound power level (LwA)	97 dB(A)
Uncertainty of measurement K	3 dB(A)

#### KENNWERTE KH 18 LTX 24 (601712850) Cordless combination hammer

Battery voltage	18 V
Max. single blow energy (EPTA)	2.1 J
Maximum impact rate	5200 bpm
Drill-Ø concrete with hammer drills	24 mm / 1 "
Drill-Ø masonry with core bits	68 mm / 2 11/16 "
Drill Ø steel	13 mm / 1/2 "
Drill-Ø soft wood	30 mm / 1 3/16 "
No-load speed	0 - 1400 rpm
Tool holder	SDS-plus
Weight without battery pack	2.6 kg / 5.73 lbs

#### VIBRATION KH 18 LTX 24 (601712850) Cordless combination hammer

Hammer drilling concrete	$11.5 \text{ m/s}^2$
Uncertainty of measurement K	$1.5 \text{ m/s}^2$
Chiseling	$7.8 \text{ m/s}^2$
Uncertainty of measurement K	$1.5 \text{ m/s}^2$

#### GERÄUSCHEMISSION KH 18 LTX 24 (601712850) Cordless combination hammer

Sound pressure level	91 dB(A)
Sound power level (LwA)	98 dB(A)
Uncertainty of measurement K	3 dB(A)

## KENNWERTE ST 18 L 90 (601047850) Cordless jigsaw

Battery voltage	18 V
Cutting depth wood	90 mm / 3 9/16 "
Cutting depth NF metal	25 mm / 1 "
Cutting depth sheet steel	10 mm / 3/8 "
Swivel range from / to:	- 45 / + 45 °
Pendulum stroke levels	4
r endulum stroke levels	4
Strokes in idle	750 - 3000 rpm
Strokes in idle	750 - 3000 rpm

## VIBRATION ST 18 L 90 (601047850) Cordless jigsaw

Sawing wood	$7.6 \text{ m/s}^2$
Uncertainty of measurement K	$1.5 \text{ m/s}^2$
Sawing metal	$8.7 \text{ m/s}^2$
Uncertainty of measurement K	$1.5 \text{ m/s}^2$

# GERÄUSCHEMISSION ST 18 L 90 (601047850) Cordless jigsaw

Sound pressure level	95 dB(A)
Sound power level (LwA)	87 dB(A)
Uncertainty of measurement K	5 dB(A)