

"AIR COOLED" Charger ASC 15, 14.4-36 V, GB (627293000)

Order No. 627293000
EAN 4007430183989



Representative picture

- For charging all Li-Power Compact, Li-Power Plus, Li-Power Extreme battery packs
- Monitored charging with microcontroller
- Battery diagnosis
- Charge time approximately 25 minutes at 1.3 Ah
- "AIR COOLED" function
- For connecting to 230 / 240 V, 50-60 Hz (EU)
- For connecting to 230 / 240 V, 50-60 Hz (EU)
- Monitored charging with microcontroller: the battery pack is charged with 5 ampere with constant monitoring of voltage flow, temperature flow and maximum temperature. The charger ends the charging process immediately after full charging. Thus, there is no overcharging and the life of the battery pack increases.
- Monitored charging with microcontroller: the battery pack is charged with 5 ampere with constant monitoring of voltage flow, temperature flow and maximum temperature. The charger ends the charging process immediately after full charging. Thus, there is no overcharging and the life of the battery pack increases.
- Charger switches to compensation charge: to conserve the capacity, the battery packs are subsequently charged with maintenance charging current.
- "AIR COOLED" function: the patented principle is based on air-cooling the battery pack during the charging process. The battery packs are gently cooled down to the required charging temperature, and then during the charging process are constantly maintained at optimum temperature. With this principle, a higher tool life of the battery packs and up to 30% shorter total charging time can be achieved.

Technical values

KEY FIGURES

Battery voltage

14.4 - 36 V

Mains voltage	220 - 240 V
---------------	-------------

Mains frequency	50 - 60 Hz
-----------------	------------