

Combo Set 2.1.15 18 V BL (685184590) Cordless tools in a set

Order No. 685184590 EAN 4061792219854



Representative picture

- Cordless hammer drill SB 18 LTX BL I: brushless cordless impact drill with maximum power for the toughest applications
- Cordless Impact Driver SSD 18 LTX 200 BL: unique Metabo brushless motor for quick work progress and maximum efficiency for any application
- Maximum drill performance, efficiency and service life thanks to brushless technology and highperformance hammer action
- LiHD battery pack for ultimate performance and extremely long runtime with minimal temperature generation
- Patented AIR COOLED technology for speedy charging and long service life
- Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee

Technical values

KENNWERTE SSD 18 LTX 200 BL (602396890) Cordless impact driver

Battery voltage	18 V
Max. screw size	M16
Max. no-load speed	2900 rpm
Maximum impact rate	4000 bpm
Maximum torque	200 Nm / 150 ft. lbs
Speed/torque levels	12

Tool holder	Hexagon recess 1/4" (6.35 mm)
Weight without battery pack	0.94 kg / 2.1 lbs
Weight with battery pack	1.3 kg / 2.9 lbs

VIBRATION SSD 18 LTX 200 BL (602396890) Cordless impact driver

Impact screwdriving	9 m/s^2
Uncertainty of measurement K	1.5 m/s^2

GERÄUSCHEMISSION SSD 18 LTX 200 BL (602396890) Cordless impact driver

Sound pressure level	94 dB(A)
Sound power level (LwA)	105 dB(A)
Uncertainty of measurement K	3 dB(A)

KENNWERTE SB 18 LTX BL I (602360840) Cordless hammer drill

Battery voltage	18 V
Maximum torque, soft	65 Nm / 575 ft. lbs
Pulse torque	65 Nm / 575 in-lbs
Maximum torque, hard	130 Nm / 1151 ft. lbs
Adjustable torque	1 - 20 Nm // 9 - 177 in-lbs
Drill-Ø masonry	16 mm / 5/8 "
Drill Ø steel	13 mm / 1/2 "
Drill-Ø soft wood	68 mm / 2.68 "
No-load speed	0 - 550 / 0 - 2000 rpm
Maximum impact rate	38000 bpm
Chuck capacity	1.5 - 13 mm // 1/16 - 1/2 "
Collar diameter	43 mm / 1 11/16 "
Weight without battery pack	1.8 kg / 4 lbs
Weight with battery pack	2.2 kg / 4.9 lbs

VIBRATION SB 18 LTX BL I (602360840) Cordless hammer drill

Drilling in metal	2.6 m/s^2
Uncertainty of measurement K	1.5 m/s^2
Impact drilling concrete	16.5 m/s^2
Uncertainty of measurement K	1.7 m/s^2

GERÄUSCHEMISSION SB 18 LTX BL I (602360840) Cordless hammer drill

Sound pressure level 92 dB(A)

Sound power level (LwA) 103 dB(A)

Uncertainty of measurement K 3 dB(A)