

## Combo Set 3.1.1 18 V (685235000) Cordless tools in a set

Order No. 685235000  
EAN 4061792258709



Representative picture

- Cordless drill/screwdriver BS 18 L BL: Smallest Metabo 18 volt drill/screwdriver with powerful Brushless performance for all standard drilling and screwdriving applications
- Cordless angle grinder CC 18 LTX BL: Very handy tool with maximum working comfort for many applications. Powerful brushless motor for fast work progress and greatest efficiency
- Cordless rotary hammer BH 18 LTX BL 16: Very lightweight, compact cordless hammer with Brushless motor for low-fatigue drilling in any working position. Maximum drilling output, efficiency and service life thanks to Brushless technology and high-performance hammer action, rotary hammer with 2 functions: hammer drilling and drilling
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: [www.cordless-alliance-systems.com](http://www.cordless-alliance-systems.com)

### Technical values

#### KENNWERTE CC 18 LTX BL (600349850) Cordless angle grinder

Battery voltage	18 V
Disc-Ø	76 mm / 3 "
Max. cutting depth	19 mm / 3/4 "
No-load speed	20000 rpm
Spindle thread	M 5
Weight without battery pack	0.64 kg / 1.4 lbs kg
Weight with battery pack	1.1 kg / 2.4 lbs kg

### **VIBRATION CC 18 LTX BL (600349850) Cordless angle grinder**

Surface grinding	8.5 m/s <sup>2</sup>
------------------	----------------------

Uncertainty of measurement K	1.5 m/s <sup>2</sup>
------------------------------	----------------------

Grinding with sandpaper	5.7 m/s <sup>2</sup>
-------------------------	----------------------

Uncertainty of measurement K	1.5 m/s <sup>2</sup>
------------------------------	----------------------

### **GERÄUSCHEMISSION CC 18 LTX BL (600349850) Cordless angle grinder**

Sound pressure level	82 dB(A)
----------------------	----------

Sound power level (LwA)	90 dB(A)
-------------------------	----------

Uncertainty of measurement K	3 dB(A)
------------------------------	---------

### **KENNWERTE BH 18 LTX BL 16 (600324850) Cordless rotary hammer**

Battery voltage	18 V
-----------------	------

Max. single blow energy (EPTA)	1.3 J
--------------------------------	-------

Maximum impact rate	5250 bpm
---------------------	----------

Drill-Ø concrete with hammer drills	16 mm / 5/8 "
-------------------------------------	---------------

Drill-Ø masonry with core bits	68 mm / 2.6725 "
--------------------------------	------------------

Drill Ø steel	13 mm / 1/2 "
---------------	---------------

Drill-Ø soft wood	20 mm / 25/32 "
-------------------	-----------------

No-load speed	0 - 730 rpm
---------------	-------------

Tool holder	SDS-plus
-------------	----------

Weight without battery pack	1.6 kg / 3.5 lbs
-----------------------------	------------------

Weight with battery pack	2 kg / 4.4 lbs
--------------------------	----------------

### **VIBRATION BH 18 LTX BL 16 (600324850) Cordless rotary hammer**

Hammer drilling concrete	12.7 m/s <sup>2</sup>
--------------------------	-----------------------

Uncertainty of measurement K	1.5 m/s <sup>2</sup>
------------------------------	----------------------

### **GERÄUSCHEMISSION BH 18 LTX BL 16 (600324850) Cordless rotary hammer**

Sound pressure level	87 dB(A)
----------------------	----------

Sound power level (LwA)	98 dB(A)
Uncertainty of measurement K	3 dB(A)

### **KENNWERTE BS 18 L BL (613155850) Cordless drill / screwdriver**

Battery voltage	18 V
Maximum torque, soft	28 Nm / 247.8 in-lbs
Maximum torque, hard	65 Nm / 575.3 in-lbs
Adjustable torque	0.5 - 9 Nm // 4.4 - 79.7 in-lbs
Drill Ø steel	13 / 1/2
Drill-Ø soft wood	40 / 1 9/16
No-load speeds	0 - 500 / 0 - 1700 rpm
Chuck capacity	1.5 - 13 mm // 1/16 - 1/2 "
Weight without battery pack	0.9 kg / 2 lbs

### **VIBRATION BS 18 L BL (613155850) Cordless drill / screwdriver**

Drilling in metal	2.1 m/s <sup>2</sup>
Uncertainty of measurement K	1.5 m/s <sup>2</sup>

### **GERÄUSCHEMISSION BS 18 L BL (613155850) Cordless drill / screwdriver**

Uncertainty of measurement K	5 dB(A)
------------------------------	---------