




## Circular saw blades "power cut wood", professional quality, for semi-stationary circular saws

- For coarse and semi-fine cuts with continuous feed. Ideal for high feed rate / low power consumption machines
- Good cutting results for straight cuts in solid wood
- Partially suitable for construction wood with nails and concrete residue
- Particularly long tool life thanks to best carbide quality and finely-ground teeth
- Precise, low-noise and vibration-minimised cuts thanks to lasered expansion slots (and partially laser ornaments) as well as lasered steel blades made from sintered steel
- Secondary holder for circular saw blades with Ø 216, 250, 254 and over 300 mm

Representative picture

| Diameter x cutting width x bore | Material | Number of teeth | Tooth shape | Steel blade thickness | Rake angle | Suitable for                                                                                                        | Packaging     | Order No. |
|---------------------------------|----------|-----------------|-------------|-----------------------|------------|---------------------------------------------------------------------------------------------------------------------|---------------|-----------|
| 216 x 2.4 x 30 mm               | HW/CT    | 24              | WZ          | 1.8 mm                | 5° neg.    | KS 216 M<br>Lasercut /<br>KGS 216 M /<br>KGS 216<br>Plus / KGSV<br>216 M /<br>KGSV 72<br>Xact / KGSV<br>72 Xact SYM | Cardboard box | 628009000 |
| 250 x 2.8 x 30 mm               | HW/CT    | 24              | WZ          | 2 mm                  | 25°        | PKU 250 /<br>PK 255 /<br>PKF 255 /<br>PKF 255 V8<br>/ Multi 260 /                                                   | Cardboard box | 628012000 |

| Diameter x cutting width x bore | Material | Number of teeth | Tooth shape | Steel blade thickness | Rake angle | Suitable for                                            | Packaging     | Order No. |
|---------------------------------|----------|-----------------|-------------|-----------------------|------------|---------------------------------------------------------|---------------|-----------|
|                                 |          |                 |             |                       |            | Multi 310 / PK 250                                      |               |           |
| 250 x 2.8 x 30 mm               | HW/CT    | 24              | WZ          | 2 mm                  | 3° neg.    | KS 250 / KGS 301 / KGS 303 / KGS 331                    | Cardboard box | 628013000 |
| 300 x 2.8 x 30 mm               | HW/CT    | 28              | WZ          | 1.8 mm                | 15°        | PK 300 / PKV 300 G to 1996                              | Cardboard box | 628014000 |
| 315 x 2.8 x 30 mm               | HW/CT    | 20              | FZ          | 1.8 mm                | 22°        | TKHS 315 / KGT 300                                      | Cardboard box | 628015000 |
| 315 x 3 x 30 mm                 | HW/CT    | 24              | WZ          | 2 mm                  | 20°        | TKHS 315                                                | Cardboard box | 628016000 |
| 350 x 2.8 x 30 mm               | HW/CT    | 22              | FZ          | 1.8 mm                | 22°        | TK 350 to 1983                                          | Cardboard box | 628017000 |
| 400 x 3.5 x 30 mm               | HW/CT    | 28              | TZ          | 2.5 mm                | 10°        | BKS 400 Plus                                            | Cardboard box | 628018000 |
| 450 x 3.5 x 30 mm               | HW/CT    | 32              | TZ          | 2.5 mm                | 10°        | BKS 450 Plus / BKH 450 Plus                             | Cardboard box | 628020000 |
| 254 x 2.4 x 30 mm               | HW/CT    | 24              | WZ          | 1.6 mm                | 20°        | TS 254 / TK 250 / TS 254 M                              | Cardboard box | 628025000 |
| 254 x 2.4 x 30 mm               | HW/CT    | 24              | WZ          | 1.8 mm                | 5° neg.    | KS 254 Plus / KGS 254 M / KGS 254 Plus / KGS 254 I Plus | Cardboard box | 628220000 |
| 216 x 2.4 x 30 mm               | HW/CT    | 20              | WZ          | 1.8 mm                | 5° neg.    | KS 216 M Lasercut /                                     | Cardboard box | 628230000 |

| Diameter x<br>cutting width<br>x bore | Material | Number of<br>teeth | Tooth shape | Steel blade<br>thickness | Rake angle | Suitable for                                                         | Packaging | Order No. |
|---------------------------------------|----------|--------------------|-------------|--------------------------|------------|----------------------------------------------------------------------|-----------|-----------|
|                                       |          |                    |             |                          |            | KGS 216 M /<br>KGSV 216 M<br>/ KGSV 72<br>Xact / KGSV<br>72 Xact SYM |           |           |