

## Circular saw blades "precision cut wood", classic quality, for circular saws

- Very wide range of uses in wood processing
- For clean cutting results for ripping or cross cutting in softwood and hardwood
- Suitable for hard wood and plywood, untreated chipboards, coated or veneered, MDF, composite materials
- High power consumption so the saw must have a high performance motor



Representative picture

| Diameter x cutting width x bore | Material | Number of teeth | Tooth shape | Steel blade thickness | Rake angle | Suitable for                                     | Packaging     | Order No. |
|---------------------------------|----------|-----------------|-------------|-----------------------|------------|--------------------------------------------------|---------------|-----------|
| 165 x 1.8 x 20 mm               | HW/CT    | 42              | WZ          | 1.2 mm                | 5°         | KS 18 LTX 57 / KT 18 LTX 66 BL / KS 18 LTX 66 BL | Cardboard box | 628026000 |
| 165 x 1.8 x 20 mm               | HW/CT    | 42              | WZ          | 1.2 mm                | 5°         | KS 18 LTX 57 / KT 18 LTX 66 BL / KS 18 LTX 66 BL | Blister       | 628027000 |

| Diameter x cutting width x bore | Material | Number of teeth | Tooth shape | Steel blade thickness | Rake angle | Suitable for                                               | Packaging     | Order No. |
|---------------------------------|----------|-----------------|-------------|-----------------------|------------|------------------------------------------------------------|---------------|-----------|
| 160 x 2.2 x 20 mm               | HW/CT    | 36              | WZ          | 1.4 mm                | 10°        | KS 55 / KS 55 FS / KS 54 / KSE 55 Plus / KSE 55 Vario Plus | Cardboard box | 628278000 |
| 165 x 2.2 x 20 mm               | HW/CT    | 36              | WZ          | 1.4 mm                | 15°        | KS 18 LTX 57 / KT 18 LTX 66 BL / KS 18 LTX 66 BL           | Cardboard box | 628281000 |
| 190 x 2.2 x 30 mm               | HW/CT    | 48              | WZ          | 1.4 mm                | 15°        | KS 66 / KS 66 Plus / KSE 68 Plus / KS 66 FS                | Cardboard box | 628283000 |
| 184 x 1.8 x 16 mm               | HW/CT    | 40              | WZ          | 1.2 mm                | 15°        | KS 55 / KS 55 FS / KS 54 / KSE 55 Plus / KSE 55 Vario Plus | Blister       | 628419000 |
| 160 x 2.2 x 20 mm               | HW/CT    | 36              | WZ          | 1.4 mm                | 10°        | KS 18 LTX 57 / KT 18 LTX 66 BL / KS 18 LTX 66 BL           | Blister       | 628659000 |
| 165 x 2.2 x 20 mm               | HW/CT    | 36              | WZ          | 1.4 mm                | 15°        | KS 66 / KS 66 Plus / KSE 68 Plus / KS 66 FS                | Blister       | 628662000 |
| 190 x 2.2 x 30 mm               | HW/CT    | 48              | WZ          | 1.4 mm                | 15°        | KS 66 / KS 66 Plus / KSE 68 Plus / KS 66 FS                | Blister       | 628664000 |
| 190 x 2 x 30 mm                 | HW/CT    | 24              | WZ          | 1.4 mm                | 15°        | KS 66 / KS 66 Plus /                                       | Cardboard box | 628675000 |

| Diameter x<br>cutting width<br>x bore | Material | Number of<br>teeth | Tooth shape | Steel blade<br>thickness | Rake angle | Suitable for              | Packaging        | Order No. |
|---------------------------------------|----------|--------------------|-------------|--------------------------|------------|---------------------------|------------------|-----------|
|                                       |          |                    |             |                          |            | KSE 68 Plus<br>/ KS 66 FS |                  |           |
| 190 x 2 x 30<br>mm                    | HW/CT    | 24                 | WZ          | 1.4 mm                   | 15°        | KS 85 FS                  | Blister          | 628676000 |
| 235 x 2.8 x<br>30 mm                  | HW/CT    | 40                 | WZ          | 2 mm                     | 15°        | KS 85 FS                  | Cardboard<br>box | 628679000 |
| 235 x 2.8 x<br>30 mm                  | HW/CT    | 40                 | WZ          | 2 mm                     | 15°        |                           | Blister          | 628680000 |