

Circular saw blades "precision cut wood", classic quality, for circular saws

- Very wide range of uses in wood processing
- For clean cutting results for ripping or cross cutting in softwood and hardwood
- Suitable for hard wood and plywood, untreated chipboards, coated or veneered, MDF, composite materials
- High power consumption so the saw must have a high performance motor



Representative picture

Diameter x cutting width x bore	Material	Number of teeth	Tooth shape	Steel blade thickness	Rake angle	Suitable for	Packaging	Order No.
165 x 1.8 x 20 mm	HW/CT	42	WZ	1.2 mm	5°	KS 18 LTX 57 / KT 18 LTX 66 BL / KS 18 LTX 66 BL	Cardboard box	628026000
165 x 1.8 x 20 mm	HW/CT	42	WZ	1.2 mm	5°	KS 18 LTX 57 / KT 18 LTX 66 BL / KS 18 LTX 66 BL	Blister	628027000

Diameter x cutting width x bore	Material	Number of teeth	Tooth shape	Steel blade thickness	Rake angle	Suitable for	Packaging	Order No.
160 x 2.2 x 20 mm	HW/CT	36	WZ	1.4 mm	10°	KS 55 / KS 55 FS / KS 54 / KSE 55 Plus / KSE 55 Vario Plus	Cardboard box	628278000
165 x 2.2 x 20 mm	HW/CT	36	WZ	1.4 mm	15°	KS 18 LTX 57 / KT 18 LTX 66 BL / KS 18 LTX 66 BL	Cardboard box	628281000
190 x 2.2 x 30 mm	HW/CT	48	WZ	1.4 mm	15°	KS 66 / KS 66 Plus / KSE 68 Plus / KS 66 FS	Cardboard box	628283000
184 x 1.8 x 16 mm	HW/CT	40	WZ	1.2 mm	15°	KS 55 / KS 55 FS / KS 54 / KSE 55 Plus / KSE 55 Vario Plus	Blister	628419000
160 x 2.2 x 20 mm	HW/CT	36	WZ	1.4 mm	10°	KS 18 LTX 57 / KT 18 LTX 66 BL / KS 18 LTX 66 BL	Blister	628659000
165 x 2.2 x 20 mm	HW/CT	36	WZ	1.4 mm	15°	KS 66 / KS 66 Plus / KSE 68 Plus / KS 66 FS	Blister	628662000
190 x 2.2 x 30 mm	HW/CT	48	WZ	1.4 mm	15°	KS 66 / KS 66 Plus / KSE 68 Plus / KS 66 FS	Blister	628664000
190 x 2 x 30 mm	HW/CT	24	WZ	1.4 mm	15°	KS 66 / KS 66 Plus /	Cardboard box	628675000

Diameter x cutting width x bore	Material	Number of teeth	Tooth shape	Steel blade thickness	Rake angle	Suitable for	Packaging	Order No.
						KSE 68 Plus / KS 66 FS		
190 x 2 x 30 mm	HW/CT	24	WZ	1.4 mm	15°	KS 85 FS	Blister	628676000
235 x 2.8 x 30 mm	HW/CT	40	WZ	2 mm	15°	KS 85 FS	Cardboard box	628679000
235 x 2.8 x 30 mm	HW/CT	40	WZ	2 mm	15°		Blister	628680000