

### **Jigsaw blades "clean wood"**

- fast, clean and angle-precise



Representative picture

Material suitability	Version	Material	Useable length	Thickness	Tooth pitch	Corresponds to Bosch type	Sales unit	Order No.
hard wood / Soft wood / chipboards / wood-core plywood / fibre boards / coated boards 3-30 mm / for clean cuts / Caution: deactivate the pendulum stroke!	clearance angle ground / tooth ground / reverse serration	HCS	74 mm	1.5 mm	2,5 mm	T 101 BR	25	623608000
hard wood / Soft wood / chipboards / wood-core plywood 10- 45 mm / fibre boards 10-45 mm / for clean cuts	clearance angle ground / tooth ground	HCS	74 mm	1.5 mm	4,0 mm	T 101 D	25	623609000
Soft wood / Plywood / plastics 1.5- 5 mm / for clean cuts / especially for curved cuts	clearance angle ground / tapered	HCS	57 mm	1.25 mm	1,4 mm	T 101 AO	25	623624000
hard wood / Soft wood / chipboards /	clearance angle	HCS	74 mm / 3 " mm	1.5 mm	2,5 mm	T 101 B	5	623634000

Material suitability	Version	Material	Useable length	Thickness	Tooth pitch	Corresponds to Bosch type	Sales unit	Order No.
wood-core plywood / fibre boards / plastics 3-30 mm / for clean cuts	ground / tooth ground							
hard wood / Soft wood / chipboards / wood-core plywood 10-45 mm / fibre boards 10-45 mm / for clean cuts	clearance angle ground / tooth ground	HCS	74 mm / 3 " mm	1.5 mm	4,0 mm	T 101 D	5	623635000
hard wood / Soft wood / chipboards / wood-core plywood / fibre boards / coated boards 3-30 mm / for clean cuts / Caution: deactivate the pendulum stroke!	clearance angle ground / tooth ground / reverse serration	HCS	74 mm / 3 " mm	1.5 mm	2,5 mm	T 101 BR	5	623650000
Soft wood / Plywood / plastics 1.5-5 mm / for clean cuts / especially	clearance angle ground / tapered	HCS	57 mm / 2 1/4 " mm	1.25 mm	1,4 mm	T 101 AO	5	623651000

Material suitability	Version	Material	Useable length	Thickness	Tooth pitch	Corresponds to Bosch type	Sales unit	Order No.
for curved cuts								
hard wood / Soft wood / chipboards / wood-core plywood 4- 60 mm / fibre boards 4-60 mm / for clean cuts	clearance angle ground / tooth ground	HCS	91 mm / 3 5/8 " mm	1.5 mm	3,0 mm	T 301 CD	5	623654000
hard wood / Soft wood / chipboards / wood-core plywood / fibre boards / plastics 3- 30 mm / for clean cuts	clearance angle ground / tooth ground	HCS	74 mm	1.5 mm	2,5 mm	T 101 B	25	623691000
hard wood / Soft wood / chipboards / wood-core plywood / fibre boards / plastics 3- 30 mm / for clean cuts	clearance angle ground / tooth ground	HCS	74 mm	1.5 mm	2,5 mm	T 101 B	100	623703000
hard wood / Soft wood / chipboards / wood-core plywood 10- 45 mm /	clearance angle ground / tooth ground	HCS	74 mm	1.5 mm	4,0 mm	T 101 D	100	623704000

Material suitability	Version	Material	Useable length	Thickness	Tooth pitch	Corresponds to Bosch type	Sales unit	Order No.
fibre boards 10-45 mm / for clean cuts								
hard wood / Soft wood / chipboards / wood-core plywood 10- 45 mm / fibre boards 10-45 mm / for clean cuts / saw blade with insertion head	clearance angle ground / tooth ground	HCS	74 mm	1.5 mm	4-5,2 mm/ 6-5 TPI/ progressiv	T 101 D	5	623923000
hard wood / Soft wood / chipboards / wood-core plywood / fibre boards / plastics 3- 30 mm / for clean cuts	clearance angle ground / tooth ground	HCS	74 mm	1.5 mm	2,5 mm	T 101 B	3	623961000
hard wood / Soft wood / chipboards / wood-core plywood 10- 45 mm / fibre boards 10-45 mm / for clean cuts	clearance angle ground / tooth ground		74 mm	1.5 mm	4,0 mm	T 101 D	3	623962000

Material suitability	Version	Material	Useable length	Thickness	Tooth pitch	Corresponds to Bosch type	Sales unit	Order No.
hard wood / Soft wood / chipboards / wood-core plywood / fibre boards / plastics 3- 30 mm / for clean cuts / saw blade with insertion head	clearance angle ground / tooth ground		74 mm	1.5 mm	2,7 mm/ 9 TPI	T 101 B	5	623969000