


## Sabre saw blades "precision wood"

- For professional applications on the construction site and in the garden



Representative picture

| Material suitability                                 | Version                            | Material finish | Overall length | Thickness | Tooth pitch   | Corresponds to Bosch type | Sales unit | Order No. |
|------------------------------------------------------|------------------------------------|-----------------|----------------|-----------|---------------|---------------------------|------------|-----------|
| wood (even damp) 15-190 mm / Firewood / tree pruning | side-set / Ground / carbide-coated | HCS             | 240            | 1.5 mm    | 5,0 mm/ 5 TPI | S 1531 L                  | 25         | 628245000 |

| Material suitability                                                                 | Version                            | Material finish | Overall length | Thickness | Tooth pitch   | Corresponds to Bosch type | Sales unit | Order No. |
|--------------------------------------------------------------------------------------|------------------------------------|-----------------|----------------|-----------|---------------|---------------------------|------------|-----------|
| wood 6-100 mm / chipboards 6-60 mm / Plywood / Plastics / especially for plunge cuts | side-set / Ground                  | HCS             | 150            | 1.25 mm   | 4,0 mm/ 6 TPI | S 644 D                   | 2          | 631120000 |
| wood 10-250 mm / chipboards 10-100 mm / Plywood / Plastics                           | side-set / Ground                  | HCS             | 300            | 1.25 mm   | 4,0 mm/ 6 TPI | S 1344 D                  | 2          | 631122000 |
| wood (even damp) 15-190 mm / Firewood / tree pruning                                 | side-set / Ground / carbide-coated | HCS             | 240            | 1.5 mm    | 5,0 mm/ 5 TPI | S 1531 L                  | 2          | 631139000 |
| wood (even damp) 15-100 mm / firewood 15-90 mm                                       | side-set / Ground / carbide-coated | HCS             | 240            | 1.5 mm    | 8,5 mm/ 3 TPI | S 1542 K                  | 2          | 631141000 |
| wood 6-100 mm / chipboards 6-60 mm / Plywood / Plastics / especially for plunge cuts | side-set / Ground                  | HCS             | 150 mm / 6 "   | 1.25 mm   | 4,0 mm/ 6 TPI | S 644 D                   | 100        | 631458000 |

| Material suitability                                                                             | Version                                  | Material finish | Overall length      | Thickness | Tooth pitch      | Corresponds to Bosch type | Sales unit | Order No. |
|--------------------------------------------------------------------------------------------------|------------------------------------------|-----------------|---------------------|-----------|------------------|---------------------------|------------|-----------|
| wood 6-100 mm /<br>chipboards 6-60 mm /<br>Plywood /<br>Plastics /<br>especially for plunge cuts | side-set /<br>Ground                     | HCS             | 150 mm / 6<br>"     | 1.25 mm   | 4,0 mm/ 6<br>TPI | S 644 D                   | 5          | 631470000 |
| wood 10-250 mm /<br>chipboards 10-100 mm /<br>Plywood /<br>Plastics                              | side-set /<br>Ground                     | HCS             | 300 mm / 12<br>"    | 1.25 mm   | 4,0 mm/ 6<br>TPI | S 1344 D                  | 5          | 631472000 |
| wood (even damp) 15-190 mm /<br>Firewood /<br>tree pruning                                       | side-set /<br>Ground /<br>carbide-coated | HCS             | 240 mm / 9<br>1/2 " | 1.5 mm    | 5,0 mm/ 5<br>TPI | S 1531 L                  | 5          | 631488000 |
| wood (even damp) 15-100 mm /<br>firewood 15-90 mm                                                | side-set /<br>Ground /<br>carbide-coated | HCS             | 240 mm / 9<br>1/2 " | 1.5 mm    | 8,5 mm/ 3<br>TPI | S 1542 K                  | 5          | 631490000 |