


Sabre saw blades "precision wood"

- For professional applications on the construction site and in the garden



Representative picture

Material suitability	Version	Material finish	Overall length	Thickness	Tooth pitch	Corresponds to Bosch type	Sales unit	Order No.
wood (even damp) 15-190 mm / Firewood / tree pruning	side-set / Ground / carbide-coated	HCS	240 mm	1.5 mm	5,0 mm/ 5 TPI	S 1531 L	25	628245000

Material suitability	Version	Material finish	Overall length	Thickness	Tooth pitch	Corresponds to Bosch type	Sales unit	Order No.
wood 6-100 mm / chipboards 6-60 mm / Plywood / Plastics / especially for plunge cuts	side-set / Ground	HCS	150 mm	1.25 mm	4,0 mm/ 6 TPI	S 644 D	2	631120000
wood 10-250 mm / chipboards 10-100 mm / Plywood / Plastics	side-set / Ground	HCS	300 mm	1.25 mm	4,0 mm/ 6 TPI	S 1344 D	2	631122000
wood (even damp) 15-190 mm / Firewood / tree pruning	side-set / Ground / carbide-coated	HCS	240 mm	1.5 mm	5,0 mm/ 5 TPI	S 1531 L	2	631139000
wood (even damp) 15-100 mm / firewood 15-90 mm	side-set / Ground / carbide-coated	HCS	240 mm	1.5 mm	8,5 mm/ 3 TPI	S 1542 K	2	631141000
wood 6-100 mm / chipboards 6-60 mm / Plywood / Plastics / especially for plunge cuts	side-set / Ground	HCS	150 mm / 6 " mm	1.25 mm	4,0 mm/ 6 TPI	S 644 D	100	631458000

Material suitability	Version	Material finish	Overall length	Thickness	Tooth pitch	Corresponds to Bosch type	Sales unit	Order No.
wood 6-100 mm / chipboards 6-60 mm / Plywood / Plastics / especially for plunge cuts	side-set / Ground	HCS	150 mm / 6 " mm	1.25 mm	4,0 mm/ 6 TPI	S 644 D	5	631470000
wood 10-250 mm / chipboards 10-100 mm / Plywood / Plastics	side-set / Ground	HCS	300 mm / 12 " mm	1.25 mm	4,0 mm/ 6 TPI	S 1344 D	5	631472000
wood (even damp) 15-190 mm / Firewood / tree pruning	side-set / Ground / carbide-coated	HCS	240 mm / 9 1/2 " mm	1.5 mm	5,0 mm/ 5 TPI	S 1531 L	5	631488000
wood (even damp) 15-100 mm / firewood 15-90 mm	side-set / Ground / carbide-coated	HCS	240 mm / 9 1/2 " mm	1.5 mm	8,5 mm/ 3 TPI	S 1542 K	5	631490000